IN THE CLAIMS:

Please continue claims 1, 2, 3, 5 and 6, inclusive.

Please amend claims 4, 7, 8, 9 and claims 16, 17, and 18, as attached hereto.

Please cancel claims 10-15 and claim 19, as indicated.

In response to the Examiner's Office Action of April 19, 2004, Applicants have reviewed the specification to make a corrective amendment, and also have attended to the claims which Examiner deemed objectionable, but allowable if written to include the earlier claimed dependencies.

Thus, claims 7, 8 and 9, have now been re-written to include the limitations of claim 6 and claim 1.

Likewise, claims 16, 17 and 18 have been re-written to include the limitations of claims 10 and 15.

- 1. (Original) In a computer system including a server accessing a database and a magnetic tape drive, a method for locating a group of audit files from said database on tape, said method comprising the steps of:
 - (a) creating a Tapeset for said group of audit files;
 - (b) initializing a disk directory file to hold positional information of said Tapeset;
 - (c) for each audit file within said group of audit files, locating said audit file within said Tapeset using said positional information.

2. (Original) The method as in Claim 1 wherein said group of audit files consists of one or more audit files.

3. (Original) The method as in Claim 1 wherein said step of locating said audit files within said Tapeset also applies to an already existing Tapeset and an already existing disk directory file.

- 4. (Currently Amended) The method as in Claim 1 wherein said step for creating said Tapeset includes the steps of:
 - (a1) selecting a name to uniquely identify said group of audit files;
 - (a2) creating a tape volume marker file with said name;
 - (a3) writing said tape volume marker file to each volume within said Tapeset[;].

- 5. (Original) The method as in Claim 1 wherein said step for initializing said disk directory file includes the steps of:
 - (b1) creating a disk directory file;
 - (b2) inserting a disk record as a first entry in said directory file.

- 6. (Original) The method as in Claim 1 wherein said step of locating said audit file within said Tapeset includes the steps of:
 - (c1) determining if said step of locating said audit file is for appending or for retrieving said audit file;
 - (c2) if said step of locating said audit file is for appending purposes, appending said audit file to said Tapeset;
 - (c3) if said step of locating said audit file is for retrieving purposes, retrieving said audit file from said Tapeset.

- 7. (Currently Amended) In a computer system including a server accessing a database and a magnetic tape drive, a method for locating a group of audit files from said database on tape, said method comprising the steps of:
 - (a) creating a Tapeset for said group of audit files;
 - (b) initializing a disk directory file to hold positional information of said Tapeset;
 - (c) for each audit file within said group of audit files, locating said audit file within said Tapeset using said positional information.
 - (c1) determining if said step of locating said audit file is for appending or for retrieving said audit file;

[[The Method as in claim 6 wherein said step of appending said audit file includes the steps of:]]

- (c2) if said step of locating said audit file is for appending purposes, appending said audit file to said Tapeset;
 - (c2a) opening said tape volume marker file;
 - (c2b) opening said disk directory file;
 - (c2c) determining a tape volume within said Tapeset for an audit file number preceding said audit file using information from said disk directory file;
 - (c2d) if said tape volume is not loaded on said magnetic tape drive, closing a logical

tape for said tape volume and displaying a message to load said tape volume;

- (c2e) fast-locating to an end position of said preceding audit file number using information from said disk directory file;
- (c2f) closing said logical tape for said tape
 volume;
- (c2g) appending said audit file at said end position;
- (c2h) updating said disk directory file with information of said audit file message to load said tape volume[[.]];
- (c3) if said step of locating said audit file is for retrieving purposes, retrieving said audit file from said Tapeset.

- 8. (Currently Amended) The method as in Claim [[6]] 7 wherein said step (c3) of retrieving said audit file includes the steps of:
 - (c3a) opening said tape volume marker file;
 - (c3b) opening said disk directory file;
 - (c3c) determining a tape volume within said Tapeset for an audit file number matching said audit file using information from said disk directory file;
 - (c3d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;
 - (c3e) fast-locating to an end position of said matching audit file number using information from said disk directory file;
 - (c3f) closing said logical tape for said tape
 volume;
 - (c3g) opening said audit file at said start position of said matching audit file number.

9. (Currently Amended) The method as in Claim 7 wherein said step (c2h) of updating said disk directory file with information of said audit file includes the steps of:

(c2ha) creating an audit record entry in said disk directory file;

(c2hb) obtaining a starting position of said audit file;

(c2hc) recording said starting position into said audit record entry;

(c2hd) obtaining an end position of said audit file;

(c2he) recording said end position into said audit record entry.

- 10. (Cancelled).
- 11. (Cancelled).
- 12. (Cancelled).
- 13. (Cancelled).
- 14. (Cancelled).
- 15. (Cancelled).

- 16. (Currently Amended) A storage medium encoded with machine-readable computer program code for locating a group of audit files from a database maintained on tape, wherein, when the computer program code is executed by a computer, the computer performs the steps of:
 - (a) creating a Tapeset for said group of audit files;
 - (b) initializing a disk directory file to hold positional information of said Tapeset;
 - (c) for each audit file within said group of audit files, locating said audit file within said Tapeset and including the steps of:
 - (c1) determining if said step of locating said audit file is for appending or for retrieving said audit file;
 - (c2) if said step of locating said audit file is for appending purposes, appending said audit file to said Tapeset which includes the steps of:
- [[16. The method as in claim 15 wherein said step of appending said audit file includes the steps of:]]
 - (c2a) opening said tape volume marker file;
 - (c2b) opening said disk directory file;
 - (c2c) determining a tape volume within said Tapeset for an audit file number preceding said audit file using information from said disk directory file;

- (c2d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;
- (c2e) fast-locating to an end position in said tape volume of said preceding audit file number using information from said disk directory file;
- (c2f) closing said logical tape for said tape volume;
- (c2g) appending said audit file in said tape volume at said end position;
- (c2h) updating said disk directory file with information of said audit file.
- (c3) if said step of locating said audit file is for retrieving purposes, retrieving said audit file from said Tapeset.

- 17. (Currently Amended) The method as in Claim [[15]] 16 wherein said step (c3) of retrieving said audit file includes the steps of:
 - (c3a) opening said tape volume marker file;
 - (c3b) opening said disk directory file;
 - (c3c) determining a tape volume within said Tapeset for an audit file number matching said audit file using information from said disk directory file;
 - (c3d) if said tape volume is not loaded on said magnetic tape drive, closing a logical tape for said tape volume and displaying a message to load said tape volume;
 - (c3e) fast-locating to an end position of said matching audit file number using information from said disk directory file;
 - (c3f) closing said logical tape for said tape volume;
 - $(c\underline{3}g)$ opening said audit file at said end position.

- 18. (Currently Amended) The method as in Claim 16 wherein said step (c2h) of updating said disk directory file with information of said audit file includes the steps of:
 - (c3a) creating an audit record entry in said disk directory file;
 - (c3b) obtaining a starting position of said audit file;
 - (c3d) recording said starting position into said audit record entry;
 - (c3e) obtaining an end position of said audit file;
 - (c3f) recording said end position into said audit record entry.

19. (Cancelled).